

Mineralguss-Waschtisch
Information und Pflegehinweis

Cast mineral washbasin
Information and care instructions


Lavabo aggloméré minéral
Informations et conseils d'entretien

Mineraalgegoten wastafel
Informatie en onderhoudstips

Lavabo de fundición mineral
Información e indicaciones
de conservación

Lavabo di quarzo sintetico
Informazioni e indicazioni per la manutenzione

Умывальник минерального литья
Информация и указание по уходу



What is cast mineral?

Cast mineral is a mixture of mineral substances such as e.g. ground stone.

The surface is made of a high-quality gelcoat layer. The quality of the surface thus depends primarily on this layer.

A cast mineral washbasin is made by hand. So each individual product is one of a kind.

Advantages compared to traditional ceramic

A very specialized design can be achieved through very exacting workmanship. This is often not possible with ceramic. Examples of this are precise rims and very smooth, large surfaces.

The colour “white” can be achieved better with cast mineral. Ceramic is typically very cold and has, to some extent, a bluish tinge.

Cast mineral properties

Cast mineral washbasins from KEUCO are resistant against all common chemicals and cosmetics that are used in the bathroom. Discolourations, e.g. through shoe creams, inks, lipsticks or makeup can be easily removed. Remnants of hair colouring agents should be removed immediately.

Aggressive acid-based or chlorine-based cleaners (e.g. drain cleaners) can detract from the shine of the surface.

Resistance against physical forces can only be guaranteed in as far as the force of the impact on the surface is less than the resistance of the gelcoat layer.

In case of damage, it is possible to repair scratches and smaller indentations in cast mineral.

Household cleaners with scouring components such as e.g. silica sand damage the shine of the surface.

Cleaning and care

Regular cleaning of the surface is done with common cleaning agents and warm water. For this, only cleaning agents without a scouring component (soft cleaners) should be used.

For tough soiling, the “cast mineral cleaning and care agent” should be used. This agent comes as accessory with every KEUCO cast mineral washbasin and is also available through the KEUCO spare parts shop in the internet (www.keuco.de).

To retain a high-quality shining surface, the cast mineral washbasin should be polished one to two times per year with a fine polishing agent (e.g. automobile polish).

Surface damage

Damage to the surface is possible if harmful scouring cleaning agents are used, contact is made with sharp, scratching or grinding objects or through the effects of aggressive colour substances or heat (e.g. cigarettes) over a long period of time.

The removal of these scratching, grinding or colour traces is done in a way analogous to automobile care. This means that as a rule a common polishing agent (M 100) and polishing cloth are sufficient to remove these traces.

For substantial damage in the gelcoat layer, a wet sanding agent (from rough to fine) should be used first to prepare the surface. The shine can be restored with a polishing cloth and a polishing agent.

KEUCO GmbH & Co. KG

Postfach 1365

D-58653 Hemer

Telefon +49 2372 90 4-0

Telefax +49 2372 90 42 36

info@keuco.de

www.keuco.de

KEUCO

DIE MARKE FÜRS BAD